



# The Islamia University of Bahawalpur

## TENDER NOTICE

### INVITATION FOR BIDS

Sealed Tenders are invited from GST & Income Tax registered Manufacturer/Firms or their Authorized Distributors/Dealers/Suppliers for Supply of **Furniture Items**, on item rate basis for Various Departments/ Hostels of the Islamia University of Bahawalpur on FOR basis as per detail given below:-

Tender-No.	Category (Specifications in Tender Documents)	Estimated Cost	Bid Security (CDR)
A	Furniture Items:	Rs. 2,39,42,446/-	Rs. 4,78,849/-

- Interested bidders may get the Tender Documents containing detailed specifications, terms and conditions from the Purchase Section, Treasurer's Office Abbasia Campus, the Islamia University of Bahawalpur during office hours 8:00 A.M. to 4:00 P.M. on submission of written application on letter head and a copy of CNIC OR can be down loaded from the IUB Website [www.iub.edu.pk](http://www.iub.edu.pk) or PPRA website [www.ppra.punjab.gov.pk](http://www.ppra.punjab.gov.pk) on payment of (nonrefundable fee) Rs.1000/- through HBL Bank challan in A/C 14730000010403 or pay order in the name of the Treasurer Islamia University of Bahawalpur.
- 2% bid security (re-fundable)** of the total estimated cost as mentioned above in shape of CDR shall be attached with the bid, otherwise bid will be not entertained.
- Single Stage Single Envelope** bidding procedure will be adopted as per PPRA Rules.
- Procurement shall be governed under the Punjab Procurement Rules 2014.
- The rates should be quoted inclusive all taxes. Copy of paid bank challan Professional tax also be Provided.
- The procuring agency may reject all bids or proposals at any time prior to the acceptance of a bid or proposal. The procuring agency shall upon request communicate to any bidder, the grounds for rejection of all bids or proposals, but shall not be required to justify those grounds.
- Tender must reach in the Treasurer's Office on or before **16-9-2019** by **02:30 P.M.** which will be opened on the same day at **03:00 PM** in the presence of bidders or their representatives.
- All bids submitted after the given time, incomplete and alternate bidding shall not be accepted.
- All prevailing taxes will be applicable as per Govt. Rules & Regulations, i.e. (income tax ,Sales tax, etc).
- The offered rates shall be valid upto 90-days from the date of opening of the tender.
- In case of closed/forced holidays, tender opening time/date will be considered as the next working day.



**Treasurer**  
**The Islamia University of Bahawalpur**  
**Abbasia Campus, Bahawalpur.**  
**Phone: 062-9250245, 9250328**  
**Fax No: 062-9250255**

**PPRA unique No. 124737T31082019776**

IPB-754

Daily Jang Multan on 30-08-2019

Daily The News Lahore



# The Islamia University of Bahawalpur

## PROCUREMENT OF FURNITURE FOR VARIOUS DEPARTMENTS

### TENDER-A FORM

1. Name of Firm: \_\_\_\_\_
2. Mailing Address: \_\_\_\_\_
3. Phone No: \_\_\_\_\_ 4. Fax No: \_\_\_\_\_
5. Tender Fee Challan No. & amount \_\_\_\_\_ CDR No. & Amount \_\_\_\_\_
6. General Sale Tax No: \_\_\_\_\_ 7. Income Tax No. \_\_\_\_\_
8. Professional Tax No: \_\_\_\_\_

Sr. #	Items	Specifications	Qty	Rate per items with all Taxes
<b>Various Departments Own Sources</b>				
1	<b>Officer Chair</b>	Standard. Master Molty foam (1 <sup>st</sup> quality) should be used in the officer chair. Hydraulic system (Taiwan made) should be used in the chair.. seasoned shesham wood should be used in the revolving chair. Pure siprit polish (without matt finish, wood color) should be given in arms/equivalent	46 Nos.	
2	<b>Sofa Set 05 seater</b>	Standard. Master Molty foam (1 <sup>st</sup> quality) should be provided in the sofa set. Inside wooden structure should be keeker made	04 Nos.	
3	<b>Center Table</b>	Standard. Solid seasoned shesham wood should be used in the table. Pure Spirit polish (without matt finish, wood color) should be given on the wooden frame of the tables. Glass (5MM), Brown color, by Ghani should be used on the top of the table. Wooden strips should be provided in the base of the table as per given drawing.	10 Nos.	
4	<b>Iron Almirah 6'x3'</b>	Steel made 20 Guage, off-white painted and also good quality locking arrangement. Steel Almirah should be with front glass panel	06 Nos.	
5	<b>File Cabinet</b>	Standard, Steel made, Gauge 20. Three drawer off-white painted with centralized locking system should be insured.	09 Nos.	
6	<b>Side Table of Center Table</b>	Standard. Solid seasoned shesham wood should be used in the table. Pure Spirit polish (without matt finish, wood color) should be given on the wooden frame of the tables. Glass (5MM), Brown color, by Ghani should be used on the top of the table. Wooden strips should be provided in the base of the table as per given drawing.	02 Nos.	
7	<b>Meeting Table</b> Each Top Width 2'x tota Width 6' x Length 14' x Height 2'-6'' x Inside Table Space 2'	Veneer sheet made with wood frame (seasoned shesham wood made) beading & foot rest in all respects as per design given. Pure spirit polishing 9without matt finish, wood color) should be provided on beading, frame and foot rest of the table in all respects. 8 MM Glass (with color, Glass edges grouted) should be given on the Top of the Table in all respects.	01 01 Piece)	
8	<b>Rostrum</b>	Standard. Rostrum side frame should be iron made (gauge 18) with rubber shoes matt finish) color black) should be used on iron side frame of Rostrum, Seasoned sheesham wood should be used on the rostrum. Pure siprit polish should be insured on rostrum.	10 Nos.	
9	<b>Blinds for 24 Windows</b>	A. W 11'' H 9'-8'' B. W 4' H3 C. W6' H3' D. W 8' H 7'-3''	1131sft	
10	<b>Double Faced Steel Book Rack</b>	Frame should be MS Pipe (Gauge 18) Made with steel made shelves (Gauge 17) Dark browned color (ICI Paint) matt finish. Both sides of the rack as per drawing given should be Laminated sheet made with wooden (Solid shesham made) beading and pure siprit polish (without matt finish) on it.	18 Nos.	
11	<b>Student Chair</b>	Student Chair by citizen Model No 796 with Plastic writing board (by citizen)equivalent original purchase by the company should be ensure/verified	485 Nos.	
12	<b>Computer Table 3x2</b>	Laminated sheet (sheet color new shesham) with wooden frame (2 inches x1 inch),on top & ides of the table) & wooden beading seasons solid sheshm wood should be used in the beading, frame & foot rest of the computer table. Double channel (Taiwan made) should be used in the table keyboard tray and mouse tray. Pure spirit polishing (without matt finish, wood color should be provided pm beading, frame and foot rest of the table.	02 Nos.	

Sr. #	Items	Specifications	Qty	Rate per items with all Taxes
13	<b>Wall Hanging Cabinet</b>	Length 8' Height 1-6' Depth 1-6' Front panle/stutter Laminated sheet made remaining side should be M.D.F Sheet made. Locks, s.s finish handles by Taiwan shoule be provided in each cabinet for the proper fixing on wall. Iron Angle(angle width 1' x1'') (12' x 10''x thickness angle 5MM) & iron support between angle should also been provided under Cabinet for proper fixing.	05 Nos.	
14	<b>Office Table 4'x2-6</b>	Laminated sheet made. Color may be shesham. Side frame of office table should be iron made with adjustable rubber shoes. Gauge of side frame may be 18. Matt finish (black color) should be used on iron side frame of office. solid seasoned sheshaem wood should be used in the beading of the table with pure siprit polish (without matt finish, wood color) on it in all respects.	05 Nos.	
15	<b>Side Rack cum Computer Table 3x1-6</b>	Laminated sheet made. Color may be shesham. Side frame of side rack should be iron made with adjustable rubber shoes. Gauges of side frame may be 18. Matt finish (black color) should be used on iron side frame of the side rack. Double Channel (Taiwan made) should be used in drawer and keyboard of the side rack. Lock by alpha should be given in the drawer and keyboard of the side rack, Solid seasoned shesham wood should be used in the beading of the rack with pure siprit polish (without matt finish, wood color) on it in all respects.	03 Nos.	
16	<b>Visitor Chair</b>	Wooden made. Cane woven. Singapore caning should be provided on the seat & back of the chair. Solid seasoned shesham wood should be used in the chair. Pure spirit polish (without matt finish, wood color) should be providedon the chair. Proper wooden (shesham made) four support should be provided under the chockta of the chair.	25 Nos.	
17	<b>File Cabinet</b>	Steel Made, Gauge 20. Three drawers off-white painted wih centerlized locking system should be insured	09 Nos.	
18	<b>Book Rack 4'-6'' x3'-1-1/2''</b>	Laminated sheet made. Color of the rack should be shesham. Sliding glass (5MM) by Ghani should be provided in the shelves of the book rack. Aluminum channel (Karachi made) and runner (Japan made) should be provided in the sliding glass of the rack. Solid seasoned sheshem wood should be used in the beading/frame of the rack with pure siprit polish (without matt finish, wood color) (Wood Color) on it in all respects.	05 Nos.	
19	<b>Office Table 5'x2-6'</b>	Laminated sheet made. Color may be shehsam . Side frame of office table should be iron made with adjustable rubber shoes. Gauge of side frame may be 18. Matt finish (black Color) should be used on side frame of office table. Solid seasoned shesham wood should be used in the beading of the table with pure siprit polish (without matt finish, wood color) on it in all respects.	12 Nos.	
20	<b>Side Rack cum Computer Table 4' x 1-6''</b>	Laminated sheet made. Color may be shesham. Side frame of side rack should be iron made with adjustable rubber shoes. Gauges of side frame may be 18. Matt finish (black color) should be used on iron side frame of the side rack. Double Channel (Taiwan made) should be used in drawer and keyboard of the side rack. Lock by alpha should be given in the drawer and keyboard of the side rack, Solid seasoned shesham wood should be used in the beading of the rack with pure siprit polish (without matt finish, wood color) on it in all respects.	06 Nos.	
21	<b>Office Table cum Computer Table 4' x 2-6'</b>	Laminated sheet made. Color may be shesham. Solid seasoned shesham wood should be used in the beading of the table and the foor rest. Double channel (Taiwan made) should be used in drawer and keyboard of the table. Lock/Handle (finest quality) should be given in the drawer and keyboard of the table. Solid seasoned shesham wood should be used in the beading and foot rest of the table with pure siprit polish (without matt finish, wood color) on it in all respects.	05 Nos.	
22	<b>Notice Board 6x3</b>	Wooden made. Solid seasoned shesham wood should be used in the notice board. Mash wire should be provided on front panel of the board. Blazer (Green) by banuo should be used. Soft board (Imported quality) should be provided in the board proper support should be given under the notice boards.	04 Nos.	
23	<b>White Board (Movable) 4'x3'</b>	White board should be made of chipboard along with pressed white farmica in all respects. Aluminum board (02 inches width from front) and marker/duster stand (solid wood made and polished) should also be provided on the board. Solid wooden made (seasoned shesham made, width 03 x thickness 1 ½ ) stand with pure siprit polish on it. Stand should be wooden (seasoned shesham made) made with Pure spirit polish on it.	04 Nos.	
24	<b>White Board 8' x4'</b>	White board should be made of chipboard along with pressed white farmica in all respects. Aluminum boards (02 inches width from front) and marker/duster stand (solid wood made and polished) should also be provided on the board. Properly fixed and wooden support should be given under the white board.	08 Nos.	
25	<b>Table 4' x2'</b>	Table top should be Laminated (shesham color) sheet made with M.S Pipe (1 inch x 1 inch) frame. Black Matt finish paint should be provided on the frame of the table. Rubber shoes should be provided in each foot of the table. Proper wooden beading (seasoned shesham made) should be provided on each side of the top of the table with complete siprit polishing (without matt) on it in all respects.	03 Nos.	

Sr. #	Items	Specifications	Qty	Rate per items with all Taxes
26	<b>Notice Board 9x3</b>	Wooden (Solid seasoned shesham made) made with 03 front panel (01 inches thickness) with mas wire Blazer (Green) by Banuo should be used and 6 inches x4 ft & 6 inches x 1 inch thick wooden decorative panel should be provided on the top of the board as per given in the drawing. Soft board (imported quality) should be provided in the board. Sides of the board should be veneer sheet made with pure sprit polish should be provided on the sides as well as the front panel of the notice board. Proper support should be given under the notice board.	01 No.	
27	<b>Benches (03 seater)</b>	Steel made Stainless steel Combined Benches 03 seater)	02 Nos.	
28	<b>Notice Board 3x2</b>	Wooden (Solid seasoned shesham made) made front panel (01 inches thickness) with glass (5MM), by Ghani Blazer (Green) by Banuo should be used soft board (Imported quality) should be provided in the board. Proper support should be given under the notice board.	03 Nos.	
29	<b>Single Bed with Mattress</b>	Shesham veneer sheet made & solid seasoned wood should be provided in the bed with pure siprit polish (without matt finish, wood color) on it in all respects Mattress should be master Molty Foam (1 <sup>st</sup> quality) made.	04 Nos.	
30	<b>Ironing Table 4x2</b>	Table top should be Laminated (shesham color) shet made with M.S Pipe (1 inches x 1 inches) frame. Black Matt finish paint should be provided on the frame of the table. Rubber shoes should be provided in each foot of the table. Proper wooden Beading (Seasoned shesham made) should be provided on each side of the top of the table with complete sprit polishing (without matt) on it in all respects.	02 Nos.	
31	<b>Table 8x2</b>	Table top should be Laminated (shesham color) shet made with M.S Pipe (1 inches x 1 inches) frame. Black Matt finish paint should be provided on the frame of the table. Rubber shoes should be provided in each foot of the table. Proper wooden Beading (Seasoned shesham made) should be provided on each side of the top of the table with complete sprit polishing (without matt) on it in all respects.	06 Nos	
32	<b>Blinds for 03 windows (DIT)</b>	A. W 8'-6" H 7'-6" 03 inches in size	192 sft	
33	<b>Blinds for 05 windows (DPS)</b>	A. W 5' H 6' B. W 7' H 7' C. W 8' H 8' 03 inches in size	271 sft	
34	<b>Blinds for 02 windows (Persian)</b>	A. W 4' H 6'-8" B. W 3'-9" H 6'-8" 03 inches in size	52 sft	
35	<b>Carpet (English)</b>	Providing & Fixing of carpet by Olympia	960 sft	
36	<b>Roller Blind 04 windows (English)</b>	A. H-8' W- 4-6" 03 inches in size of the each boarder of blinder	144 sft	
37	<b>Dinning Chair</b>	Master Molty Foam 1 <sup>st</sup> quality should be provided in the seat of the chair. Chair frame should be solid shesham wood made. Pure siprit polish (without matt finish, wood color) should be provided n chair in all respects	24 Nos.	
38	<b>Lab Stool</b>	Master Molty Foam (1 <sup>st</sup> quality) along with Ragzin poshesh should be used in the seat of the stool. Ms. Pipe square pipe (18 Gauges, 3/4" x 3/4") should be used in iron frame f the stool	50 Nos.	
39	<b>Blinds for 27 windows (BBT)</b>	A. W 11' H 8' B. W- 6-3" H3' C. W- 4'-3" H 2'-3" D. W- 4'-3" , H-2'-9" E. W 3-9" H-2-9" F. W-6' H-3' G. W-4-3' H-3' 03 Inches in size	1067 sft	
40	<b>Blinds for 18 windows (Chemistry)</b>	A. W-11', H-8' B. W6' H-3' C. W-3-9, H-2-9' F W-3'-3, H-3 H W-5', H-8' 03 Inches in size	649 sft	
41	<b>Book Rack 6'-4"x3'</b>	Iron sheet made, 18 Gauge, off-white painted	10 Nos.	
42	<b>Roller Blind for 6 windows</b>	A. W-5', H-4-6' B. W 4', H-4-6', 03 inches in size	126 sft	
43	<b>Visitor Chair Foami</b>	Master Molty Foam (1 <sup>st</sup> quality) should be used in the chair. Seasoned shesham wood should be used in the chair. Pure sprit polish (without matt finish, wood color) should be provided on the chair	18 Nos.	

<b>HEC Project: For Newly Constructed Boys &amp; Girls Hostels in BJ Campus /MBA</b>				
<b>Sr. #</b>	<b>Items</b>	<b>Specifications</b>	<b>Qty</b>	<b>Rate per items with all Taxes</b>
1	<b>Student Chair</b>	Student Chair by citizen Model No 796 with Plastic writing board (by citizen)equivalent original purchase by the company should be ensure/verified	672 Nos.	
2	<b>Fixed White Board 4'x3' with Moveable Stand</b>	White board should be made of chipboard along with pressed white farmica in all respects. Aluminum boards (02 inches width from front) and marker/duster stand (solid wood made and polished) should also be provided on the board. Solid wooden made (seasoned Shesham made, width 03'x thickness 1 ½ ") stand with pure siprit polish on it. Stand should be wooden (seasoned shesham made with pure siprit pl=olish on it.	02 Nos.	
3	<b>Study Chair (with Arms)</b>	Study Chair by Citizen Model No. 796-A ( by citizen or Equivalent	370 Nos.	
4	<b>Dining Table with Bench 6'x5'-9"</b>	Top of the Dining Table should be Marble (Verona, 01 inches thickness polished all respects) made. Bottom frame of the table should be M.S Pipe (1 ½ inches x1 ½ inches, 18 gauges & matt finish Coka Cola Color) made. Top of the Bench should be wooden strip (2 inches x 1 ½ inches, solid shesham wood made with pur siprit polish (without matt finish, wood color) should be given in all respects on the strip Made. MS patti (3/8 inches) should be provided under the strip of bench top. Bench frame should be MS Pipe ( 1 ½ inch x 1 ½ inche, 18 gauge & matt finish Coka Cola Color made. Rubber Caps/ Shoes should be provided in the feet of the table and beach in all respects. Bench and table should be attached with Pipe ( 1 inches x 1 inches) with each other as given in drawing. (Ms pipe vertical 1 ½ x 1 ½ inches 18 gauge)	30 Nos.	
5	<b>Newspaper Stand (fixed on wall)</b>	Top should be MS Sheet (18 Gauge) made with MS pipe 18 Gauge, 01 inches x01 inches) along with strip with hinge to newspaper fixing. Matt finish (light brown) should be used on the stand. Newspaper stand under support MS pipe 18 gauge, 01 inches x 01 inches) made. Newspaper stand support attached with wall MS Pipe (18 Gauge 1 ½ inches x 1 ½ inches made.	04 Nos.	
6	<b>Study Chair (With Arms)</b>	Study Chair by Citizen Model No. 796-A ( by citizen or Equivalent	80 Nos.	
7	<b>Center Table 3'-6''x 1'-9''</b>	Top of the table should be Chipboard Formica Made Solid Seasoned shesham wood should be used in the legs, frame and beading of the Top of the center table. Pure siprit polish (without matt finish, wood (color) Should be given on the wooden legs, frame and beading of the top of the center table.	04 Nos.	
<b>New Hostels (Boys &amp; Girls) Own Sources</b>				
1	<b>Charpai (Iron Made)</b>	M.S Vertical post ( 1 ½ inched x 1 ½ inches, guage 18) M.S Horizontal post (1 ½ inches x 02 inches, guage 18) Niwar (03/02 inches width, witout starch (kalaf) canning by shaheen in all respects. Proper iron support (dia 01 inches, Gauge 18) should be provided on the charpai in all respects. Rubber shoes should be provided in feet of the charpai	370 Nos.	
2	<b>Study Table 2'-6''x1'-10''</b>	Table top (shesham color) should be made of chipboard with Formica on it. Beading (3/4 inches) should be provided on the top of the table. Table front and side boards (4 inches height, solid seasoned shesham wood) Table should have 01 Drawer with lock (finest quality) and handles with complete wodden box (MS Sheet 18 gauge) for drawer. Bottom frame should be made of M.S pipe (01 inche x 01 inche) with 18 gague. Drawer frame M.S Pipe (1/2 inches x1/2 inches) along with chipboard formica drawer front remaining sides should be solid shesham made and bootom of the drawer hardboard made. M.S Pipe should be painted (Matt finish, Off- white painted) Rubber Caps/shoes should be given in the table feet	370 Nos.	
3	<b>Study Chair (with Arms)</b>	Study Chair by Citizen Model No. 796-A ( by citizen or Equivalent	370 Nos.	
4	<b>Dining Table with Bench 6'x5'-9"</b>	Top of the Dining Table should be Marble (Verona, 01 inches thickness polished all respects) made. Bottom frame of the table should be M.S Pipe (1 ½ inches x1 ½ inches, 18 gauges & matt finish Coka Cola Color) made. Top of the Bench should be wooden strip (2 inches x 1 ½ inches, solid shesham wood made with pur siprit polish (without matt finish, wood color) should be given in all respects on the strip Made. MS patti (3/8 inches) should be provided under the strip of bench top. Bench frame should be MS Pipe ( 1 ½ inch x 1 ½ inche, 18 gauge & matt finish Coka Cola Color made. Rubber Caps/ Shoes should be provided in the feet of the table and beach in all respects. Bench and table should be attached with Pipe ( 1 inches x 1 inches) with each other as given in drawing. (Ms pipe vertical 1 ½ x 1 ½ inches 18 gauge)	30 Nos.	
5	<b>Newspaper Stand (fixed on wall)</b>	Top should be MS Sheet (18 Gauge) made with MS pipe 18 Gauge, 01 inches x01 inches) along with strip with hinge to newspaper fixing. Matt finish (light brown) should be used on the stand. Newspaper stand under support MS pipe 18 gauge, 01 inches x 01 inches) made. Newspaper stand support attached with wall MS Pipe (18 Gauge 1 ½ inches x 1 ½ inches made.	04 Nos.	
6	<b>Benches (03 Seater)</b>	Standard Steel Made	10 Nos.	
7	<b>Study Chair (With Arms)</b>	Study Chair by Citizen Model No. 796-A ( by citizen or Equivalent	80 Nos.	
8	<b>Center Table 3'-6''x 1'-9''</b>	Top of the table should be Chipboard Formica Made Solid Seasoned shesham wood should be used in the legs, frame and beading of the Top of the center table. Pure siprit polish (without matt finish, wood (color) Should be given on the wooden legs, frame and beading of the top of the center table.	04 Nos.	

Sr . #	Items	Qty	Rate per items with all Taxes
<b>University Five Hostels Own Sources</b>			
1	<b>Study Chair (without Arm)</b> Design and drawing of study chair by citizen Model No. 796-B (By citizen) / Equivalent	384 Nos.	
2	<b>Wall Hanging Cabinet</b> Length 6', Height 2' Depth 1'-3" Laminated sheet (shesham color) made along with beading (Solid Shesham woodmade, pure siprit polished (without matt finish, wood color) (Wood Color) in all respects. Back	03 Nos.	
3	<b>Officer Chair (Low Back)</b> Standard. Master Molty foam (1 <sup>st</sup> quality) should be used in the officer chair. Hydraulic system (Taiwan made) should be used in the chair.. Seasoned shesham wood should be used in the revolving chair. Pure siprit polish (without matt finish, wood color) should be given in arms/equivalent	03Nos.	
4	<b>Officer Chair (High Back)</b> Standard. Master Molty foam (1 <sup>st</sup> quality) should be used in the officer chair. Hydraulic system (Taiwan made) should be used in the chair. Seasoned shesham wood should be used in the revolving chair. Pure siprit polish (without matt finish, wood color) should be given in arms/equivalent	03 Nos.	
5	<b>File Cabinet</b> Standard, Steel made, Gauge 20. Three drawer off-white painted with centralized locking system should be insured.	04 Nos.	
6	<b>Desert Room Cooler</b> Desert Roon Cooler by Super Asia or Equivalent	01 No.	
7	<b>Dust Bin (Iron Made)</b> Providing & fixing of dust bin as per given drawing in all respects. Ms pipe (Dia 2 inch, 18 Gauge) made. Drum (MS sheet made 18 Gauge & Dia 1.5 ft) Proper Bearing should be given in the drum fro movement. Color of the Dust bin should be Dark Blue. There should be text written on the both sides of the Drum is as "Use me"	05 Nos.	
8	<b>Iron Almirah 6'x3'</b> Steel made 20 Gauge, off-white painted and also good quality locking arrangement. Steel Almirah should be with front glass panel	01 No	
9	<b>Center Table 3'-6'' x 1'-9''</b> Top of the table should be chipboard Formica made, Solid seasoned shesham wood should be used in the legs, frame and beading of the Top of the center Table. Pure siprit polish (without matt finish, wood color) should be given on the wooden legs, frame and beading of the top of the center table	07 Nos.	
10	<b>Bench</b> Seat and back with wooden Strip (2 inches x 1 inches, Pure solid seasoned shesham wood made, pure siprit polished without matt finish wood color in all respect) along with under MS Patti (4 inches width x 2/8 inches with black matt finish in all respects). Sides of the bench should be wrought iron (Thickness as per sample given in Abbasia campus carved & green matt finish paint) made.	22 Nos.	
11	<b>Library Chair</b> Wooden (Solid seasoned shesham made) made with foam made seat and back (by Master Molty Foam). Pure siprit polish (Wood Color, without matt finish) should be provided.	36 Nos.	
12	<b>Library Table 3' x 4'-5''</b> Laminated sheet made with wooden shesham made beading and Foot rest should be shesham wooden made. Pure siprit polish should be provided on beading and foot rest of the table.	09 Nos.	
13	<b>Sofa Set (Wooden Frame) 03 Seater</b> Wooden made frame and seat should be foam (Master Molty Foam) made. Pure siprit polish (without matt finish, wood color) should be given in arms.	08 Nos.	
14	<b>Bed (Single) with Mattress</b> Shesham veneer sheet made & solid seasoned wood should be provided in the bed with pure siprit polish (without matt finish, wood color) on it I all respects. Proper shesham made should wood 03 supports should be provided under the bed. Mattress (by Master Molty Foam 1 <sup>st</sup> quality).	03 Nos.	
15	<b>Notice Board 3'x2'</b> Wooden (Solid seasoned shesham made) made front panel (01 inches thickness) with Glass (5 MM, by Ghani or Equivalent Blazer (Green) by Banuo should be used. Soft board (Iported quality) should be provided in the board. Proper supports should be given under the notice board.	01 No.	
16	<b>Newspaper stand (fixed on wall)</b> Top should be MS sheet (18 Gauge) made with MS pipe (18 Gauge, 01 inches x 01 inches) along with MS strip with hinge to newspaper fixing. Matt finish (light brown) should be used on the stand. Newspapers stand under support Ms pipe (18 Gauge, 01 inches x 01 inches) made. Newspaper stand support attached with wall Ms pipe (18 gauge, 1 1/2 inches x 1 1/2 inches) made.	08 Nos.	
17	<b>Notice Board 6x3</b> Wooden made. Solid seasoned shesham wood should be used in the notice board. Mash wire should be provided on front panel of the board. Blazer (Green) by banuo should be used. Soft board (Imported quality) should be provided in the board proper support should be given under the notice boards.	04 Nos.	
<b>For Newly Constructed Boys &amp; Girls Hostels in RY Khan Campus</b>			
1	<b>Study Chair (with Arms)</b> Study Chair by Citizen Model No. 1013-SD ( by citizen or Equivalent	99 Nos.	
2	<b>Newspaper Stand (fixed on wall)</b> Top should be MS Sheet (18 Gauge) made with MS pipe 18 Gauge, 01 inches x01 inches) along with strip with hinge to newspaper fixing. Matt finish (light brown) should be used on the stand. Newspaper stand under support MS pipe 18 gauge, 01 inches x 01 inches) made. Newspaper stand support attached with wall MS Pipe (18 Gauge 1 1/2 inches x 1 1/2 inches made.	08 Nos.	
3	<b>Single Wooden Bed with Matress</b> Shesham veneer sheet made along with solid shesham seasoned wood made frame, beading, feet Cornice should be provided in the bed and pure siprit polish (without matt finish, wood color) on it in all respects. Internal supports should be seasoned keeker made with chipboard sheet on it. Master molty foam 1 st quality Mattress should be provided with bed.	15 Nos.	
4	<b>Sofa Set ( 5 seater)</b> Solid Shesham Seasoned wooden made frame and seat should be foam (Master Molty Foam, 02 inches) made. Pure siprit polish (without matt finish, wood color) should be given on the frame of the sofa in all respects.	04 Nos.	
5	<b>Center Table 3'-6''x 1'-9''</b> Top of the table should be Chipboard Formica Made Solid Seasoned shesham wood should be used in the legs, frame and beading of the Top of the center table. Pure siprit polish (without matt finish, wood (color) Should be given on the wooden legs, frame and beading of the top of the center table	08 Nos.	
6	<b>Office Table 4'x2-6</b> Laminated sheet made. Color may be shesham. Side frame of office table should be iron made with adjustable rubber shoes. Gauge of side frame may be 18. Matt finish (black color) should be used on iron side frame of office. solid seasoned sheshaem wood should be used in the beading of the table with pure siprit polish (without matt finish, wood color) on it in all respects.	02 Nos.	
7	<b>Office Table cum Computer Table 4' x 2-6'</b> Laminated sheet made. Color may be shesham. Solid seasoned shesham wood should be used in the beading of the table and the foor rest. Double channel (Taiwan made) should be used in drawer and keyboard of the table. Lock/Handle (finest quality) should be given in the drawer and keyboard of the table. Solid seasoned shesham wood should be used in the beading and foot rest of the table with pure siprit polish (without matt finish, wood color) on it in all respects.	02 Nos.	
8	<b>Side Rack cum Computer Table 4' x 1-6''</b> Laminated sheet made. Color may be shesham. Side frame of side rack should be iron made with adjustable rubber shoes. Gauges of side frame may be 18. Matt finish (black color) should be used on iron side frame of the side rack. Double Channel (Taiwan made) should be used in drawer and keyboard of the side rack. Lock by alpha should be given in the drawer and keyboard of the side rack, Solid seasoned shesham wood should be used in the beading of the rack with pure siprit polish (without matt finish, wood color) on it in all respects.	02 Nos.	
9	<b>Officer Chair (High Back)</b> Standard. Master Molty foam (1 <sup>st</sup> quality) should be used in the officer chair. Hydraulic system (Taiwan made) should be used in the chair.. seasoned shesham wood should be used in the revolving chair. Pure siprit polish (without matt finish, wood color) should be given in arms/equivalent	02 Nos.	
10	<b>Officer Chair (Low Back)</b> Standard. Master Molty foam (1 <sup>st</sup> quality) should be used in the officer chair. Hydraulic system (Taiwan made) should be used in the chair.. seasoned shesham wood should be used in the revolving chair. Pure siprit polish (without matt finish, wood color) should be given in arms/equivalent	02 Nos.	
11	<b>File Cabinet</b> Steel Made, Gauge 20. Three drawers off-white painted wih centralized locking system should be insured	02 Nos.	
12	<b>Ironing Table 4x2</b> Table top should be Laminated (shesham color) shet made with M.S Pipe (1 inch x 1 inches) frame. Black Matt finish paint should be provided on the frame of the table. Rubber shoes should be provided in each foot of the table. Proper wooden Beading (Seasoned shesham made) should be provided on each side of the top of the table with complete sprit polishing (without matt) on it in all respects.	08 Nos.	

Remaining Items for Four New Hostels		
1	<b>Single Wooden Bed with Mattress (Warden Room)</b> As per drawing Shesham veneer sheet made along with solid shesham seasoned wood made frame, Beading/Cornice, feet (3 inches Dia) pure spirit polish (without matt finish, wood color) on it all respects. Internal Supports should be solid seasoned Keeker made with Chipboard sheet (by Mehran) on it. Master Molty Foam 1 <sup>st</sup> quality Mattress should be provided with bed.	08 Nos.
2	<b>Side Table (For single Bed)</b> As per drawing Shesham veneer sheet made along with solid shesham seasoned wood made frame, Beading/Cornice, feet (3 inches Dia) pure spirit polish (without matt finish, wood color) on it all respects. Finest quality handle should be provided on drawer and cabinet of the table.	04 Nos.
3	<b>Sofa Set 05 Seater Wood Frame</b> Solid Shesham seasoned wooden made frame and seat should be foam (Master Molty Foam 1 <sup>st</sup> quality, 2 inches) made and poshisheed Pure spirit polish (without matt finish, wood color) Should be given on the frame of the sofa in all respects.	04 Nos.
4	<b>Center Table 3'-6" x 1'-9"</b> Top of the table should be Chipboard Formica made. Solid seasoned shesham wood should be used in the legs, frame and beading of the Top of the center table. Pure spirit polish (without matt finish, wood color) should be given on the wooden legs (02 inches x 02 inches), frame (2 1/2 inches x 01 inches) and beading of the top of the center table.	04 Nos.
5	<b>Office Table 4x2-6 (Warden Office)</b> Laminated sheet made. Color may be shesham. Side frame of office table should be iron made with adjustable rubber shoes. Gauge of side frame may be 18. Matt finish (Black Color) should be used on iron side frame of office table. Solid seasoned shesham wood should be used in the beading of the table with pure spirit polish (without matt finish, wood color) on it all respects.	04 Nos.
6	<b>Side Rack cum Computer Table 4x1-6</b> Laminated sheet made. Color may be shesham, side frame of side rack should be iron made with adjustable rubber shoes. Gauge of side frame may be 18. Matt finish (Black Color) should be used on iron side frame of the side rack. Double Channel (Taiwan made) should be used in drawer and keyboard of the side rack. Lock by alpha should be given in the drawer and keyboard of the side rack. Solid seasoned shesham wood should be used in the beading of the rack with pure spirit polish (without matt finish, wood Color) on it all respects.	04 Nos.
7	<b>Officer Chair (High Back)</b> Master Molty Foam (1 <sup>st</sup> quality) should be used in the officer chair. Hydraulic system (Taiwan made) should be used in the chair. Seasoned shesham wood should be used in the revolving chair Arm(04 Piece) pure spirit polish (without matt finish, wood color) should be given in Arms.	04 Nos.
8	<b>File Cabinet Iron Made</b> Steel Made, Gauge 20. Three drawers off-white painted with centralized locking system should be insured	08 Nos.
9	<b>Iron Almirah 6x3</b> Steel made 20 Gauge, off-white painted and also good quality locking arrangement. Steel Almirah should be with front glass panel	04 Nos.
<b>Lecture Theaters of Academic Block</b>		
1	<b>Fixed Desk with Bench Front Single Desk Fixed</b> Top (1 1/2 inches thickness x 14 inches x 11 ft-8 1/2 inches) front (1 1/2 inches thickness x 01 ft- 06 inches x 11ft-8 1/2 inches) and Beading (02 inches) of the Desk should be solid seasoned shesham wood made with pure spirit polish (without matt finish, wood color) should be given on the wood. Frame & Feet of the desk should be Angle Iron (Thickness 02" x 1 1/2 inches x 1 1/2 inches) made with Matt finish (Black color painted.) desk should be properly fixed on step with proper Rowel Plug (Iron made).	16 Nos.
2	<b>Desk Along with Bench (fixed)</b> Top (1 1/2 inches thickness x 14 inches x 11 ft-8 1/2 inches), front (1 1/2 inches thickness x 18 inches x 11ft-8 1/2 inches) and Beading (02 inches) of the Desk should be solid seasoned shesham wood made with pure spirit polish (without matt finish, wood color) should be given on the wood. Frame & Feet of the desk should be Angle Iron (Thickness 02" x 1 1/2 inches x 1 1/2 inches) made with Matt finish (Black Color Painted). Bench seat should be solid seasoned shesham (1 1/2 inches thickness 13 inches) wood made with Foam (02 inches, Master Molty, 1 <sup>st</sup> quality) and cloth (thick finest quality) poshish. Desk along with bench should be properly fixed on step with proper rowel Plug (Iron made).	104 Nos.
3	<b>Single Last Bench (Fixed)</b> Back should be (1 1/2 inches thickness x 01 ft-06 inches x 11ft-8 1/2 inches) solid seasoned shesham wood made with pre spirit polish (without matt finish, wood color) should be given on the wood. Bench seat should be solid seasoned shesham (1 1/2 inches thickness x 13 inches) wood made with Foam (02 inches Master Molty, 1 <sup>st</sup> quality) and cloth Poshish. Frame of the bench should be Angle Iron (thickness 02" x 1 1/2 inches x 1 1/2 inches) made with Matt finish (Black color) Painted) Single last Bench should be properly fixed on step with Rowel plug (iron made).	16 Nos.
<b>Common Rooms of Academic Block</b>		
1	<b>Center Table (Chipboard Formica Top)</b> Top of the table should be chipboard Formica solid seasoned shesham wood should be used in the legs frame and beading of the top of the center table. Pure spirit polish (without matt finish, wood color) should be given of the wooden legs, frame and beading of the top of the center table.	06 Nos.
2	<b>Carpet along with Under layer (01 inch)</b> A. 13'-6" x 31'-6 1/2" B. 30' x 29-7 1/2" Providing & fixing of carpet by Olympia with under layer (01 inches). Saf system print should be printed on the carpet.	1314.54 sft
<b>Seminar/Conference Rooms of Academic Block</b>		
1	<b>Meeting Table</b> A. Each Top Width 2'x Total width 6'x Length 27'x Height 2'-6" x Inside Table Space 2' Veneer sheet made with wooden frame seasoned shesham wood made beading & foot rest in all respects as per designed given. Pure spirit polish (without matt finish, wood color) should be provided on beading. Frame and foot rest of the table in all respects. 08 MM Glass (white color, Glass edge grouted) should be given on the top of the table in all respects. <b>Note:</b> Polish (Pure spirit polish, shesham color, without matt finish) color of meeting table and meeting chair should be same of meeting room.	02 Nos.
2	<b>Meeting Chair (Revolving)</b> Height 38 inches Depth 21 inches Width 23 Inches Meeting chair (Revolving) by Boss (moulded furniture, Gujranwala, Pakistan) Model No B-514./Equivalent 140 MM Hydraulic Jeck, Imported Wheels, COPP Compounding material, PU Foam, Project Fabric, Relax back with Mesh base.	82 Nos.
<b>Informal Sitting Area (Ground Floor) of Academic Block</b>		
1	<b>Center Table (Glass Top)</b> Solid Seasoned shesham wood should be used in the table. Pure spirit polish (without matt finish, wood color) should be given on the wooden frame of the tables. Glass (8MM), Brown Color, by Ghani should be used on the top of the table. Proper solid seasoned shesham wood made support should be given under the glass per drawing. <b>Note:</b> Polish (Pure spirit polish, shesham color without matt finish) color of office table, side Rack cum computer table, officer chair, Visitor chair, File Cabinets, Computer table and Center Table should be same of Director office	06 Nos.
2	<b>Corner Table 2x2</b> Table top should Chipboard Formica sheet made with M.S Pipe (1 Inches x 1 inches) frame Black Matt finish paint should be provided on the frame of the table Rubber shoes should be provided in each foot of the table. Proper wooden Beading (seasoned shesham made) should be provided on each side of the top of the table with complete spirit polishing (without matt) on it in all respects. Glass (white color, Glass edge grouted) on Top should be provided.	01 No.
<b>Library Furniture of Academic Block</b>		
1	<b>Issuance Counter 6'-8" x 1-8"</b> Laminated sheet made with wooden frame (shesham made) Counter top should be marble made (thickness 6 sutter, green color by Indian) Double channel (by Taiwan made) should be used in keyboard tray and drawers of counter. Proper lock (finest quality) and handle (finest quality) should be in the drawer and cabinet of the counter. Shesham wooden made foot rest should be provided. Pure spirit polish should be provided on beading, wooden frame and foot rest.	01 No.
2	<b>Stool (for Issuance Counter)</b> Foam made seat and back hydraulic system should be used in the stool Base steel made.	01 No.
3	<b>Study Table 3x2-6</b> Laminated sheet made (shesham color) Top (1 1/2 inches) with PVC Edging (2/8 thickness) Bottom frame of study table should be MS Pipe (1 1/2 inch x 1 1/2 inches, 18 Gauge) made with rubber shoes. Iron frame and top should be joint with MS STUDS (3/8 Dia) Matt finish (Black Color) should be used on iron Frame of the table.	14 Nos.
4	<b>Rack (For Student Bags/Belongings)</b> MS Sheet (18 Gauge) made off-white painted Rack front side (Shelves, both sides and center partition) should be mould (01 inches x 01 inches) as per given in drawing.	05 Nos.
5	<b>Journal Display Rack</b> Laminated sheet made with standing Glass (5MM), wooden (Shesham made) beading should be provided in the rack in all respects.	02 Nos.
6	<b>Newspaper Stand (Fixed on wall)</b> Top should be MS sheet (18 Gauge) made with MS pipe (18 Gauge) 01 inch x 01 inches) along with MS Strip with hinge to newspaper fixing. Matt finish (light brown) should be used on the stand. Newspapers stand under support MS pipe (18 Gauge, 01 inches x 01 inches made. Newspaper stand support attached with wall MS pipe (18 Gauge, 1 1/2 inches x 1 1/2 inches) made	05 Nos.
7	<b>Double Faced Steel Book Rack</b> Frame should be MS pipe (18 Gauge) made with steel made shelves (Gauge 17) Dark browned color (ICI) paint matt finish.	15 Nos.
8	<b>Iron Almirah 6x3 (with Front Glass)</b> 20 Gauge steel made off-white painted and also good quality locking arrangement steel Almirah should be front glass (5MM) pane.	10 Nos.
9	<b>Office Table 4x2-6</b> Laminated made Color may be shesham side frame of office table should be iron made with adjustable rubber shoes. Gauge of side frame may be 18. Matt finish (Black color) Should be used in iron side frame of office table. Solid seasoned shesham wood should be used in the beading of the table with pure spirit polish (without matt finish, wood color) on it all respects.	02 Nos.
10	<b>Officer Chair (Low Back)</b> Master Molty Foam (1 <sup>st</sup> quality) should be used in the officer chair. Hydraulic system (Taiwan Made) should be used in the chair. Seasoned shesham wood should be used in the revolving chair Arm (04 Piece) Pure spirit polish (without matt finish, wood color) on it in all respects.	02 Nos.

Medical Center			
1	<b>Office Table 4x2-6</b> Laminated sheet made. Color may be shesham. Side frame of office table should be iron made with adjustable rubber shoes. Gauge of side frame may be 18. Matt finish (Black Color) should be used on iron side frame of office table. Solid seasoned shesham wood should be used in the beading of the table with pure siprit polish (without matt finish, wood color) on it in all respects.	05 Nos.	
2	<b>Side Rack cum Computer Table 4x1-6</b> Laminated sheet made. Color may be shesham, side frame of side rack should be iron made with adjustable rubber shoes. Gauge of side frame may be 18. Matt finish (Black Color) should be used on iron side frame of the side rack. Double Channel (Taiwan made) should be used in drawer and keyboard of the side rack. Lock should be given in the drawer and keyboard of the side rack. Solid seasoned shesham wood should be used in the beading of the rack with pure siprit polish (without matt finish, wood Color) on it all respects	05 Nos.	
3	<b>Officer Chair</b> Polish color should be black. Master molty foam (1 <sup>st</sup> quality) should be used in the office chair. Hydraulic system (Taiwan made) should be used in the chair seasoned shesham wood should be used in the arm of revolving chair. Pure siprit polish (without matt finish, wood color) should be given on arm.	05 Nos.	
4	<b>Wooden Bench (For Medical Bed)</b> 3'x1'-6" top of the Bench should be wooden (solid seasoned shesham made, 02 inches x 01 inches) planks made with pure siprit polish (without matt finish, wood color) should be provided on it. Bottom frame should be M.S pipe (01 inches x 01 inches, 16 Gauge) made, silver painted. Rubber shoes (finest quality) should be provided in the each feet of the bench. MS pipe (02 inches x 01 inches, 16 gauge) should be provided under top center 01 the bench as per given in drawing.	12 Nos.	
5	<b>Iron Almirah 6x3</b> Steel made 20 Gauge, off-white painted with centralized locking system should be insured	04 Nos.	
6	<b>File Cabinet (Iron made)</b> Steel made, Gauge 20 three drawers off-white painted with centralized locking system should be insured	05 Nos.	
7	<b>Paramedics Table</b> 4x2-6 Veneer sheet made pure siprit polish (without matt finish, wood color) on it in all respects. Solid seasoned shesham wood should be used in the beading of the table with pure siprit polish (without matt finish, wood color) on it in all respects. Double Channel (Taiwan Made) should be used in drawers Lock should be given in the drawer and cabinet	01 No.	

**Note:**

1. Success full bidder must be provided the sample of winning items
2. Success full bidder must be Supply/provide the furniture in raw/Kora foam

**Note: All the bidders are required to mention the details of their product being offered by them in the Technical proposal and also clearly mention the name & relevant major specifications of their offered product while quoting the financial bid as well. Mere reproduction of our tender documents will not serve the purpose and the bid may be liable to be rejected by the procuring agency in such cases.**

**Furniture Inspection:**

Following Standard Operating Procedure will be followed by the University Furniture inspection Committee:

1. **Quality of Work:**  
The supplier is bound to provide seasoned wood/Specified wood as per supply order for manufacturing of furniture items. The Assistant Treasurer (P) and Assistant Engineer (M) will inspect the wood/material at his work station.
2. **Cora Furniture.**  
The Supplier will get inspection of Cora furniture from the furniture inspection committee at work station of the supply according to the specification of supply order, otherwise the furniture items will be rejected at site.
3. **Polishing/Finishing of Furniture**  
After Completion of Cora work, polishing/finishing of furniture with all accessories will again be inspected by the Assistant Treasurer (P) and Assistant Engineer (M) at work station.
4. **Final Inspection:**  
After supply of furniture items, the Furniture Inspection Committee will inspect furniture in store/ end user site within a week.

**INSTRUCTIONS / TERMS & CONDITIONS:**

1. Bid should be proper sealed & stamped and addressed in the name of Treasurer, the Islamia University of Bahawalpur and reach in this office (Procurement Wing) as per schedule given in advertisement.
2. The Tender Opening Committee will open the bids on same date & time advertised in newspaper in the presence of bidders, who wish to attend. In case of bid submission / opening date falls on the public holiday, the submission / opening date will be next working day at same time.
3. Bid received after due date / time will not be accepted under any circumstances.
4. The bid should be submitted along with **2%** Earnest Money Demanded (EMD) in the form of Demand Draft or CDR (Separate for each category) in favor of the Treasurer, The Islamia University of Bahawalpur. No bid shall be acceptable without EMD.
5. Bid shall remain valid for 90 days which can be increased with the mutual consent of both parties from the date of opening the bid.
6. The vendor should ensure that no other Govt. organization is being offered / benefited more than this Price/discount. If the same is found at any stage recovery will be made accordingly.
7. For any Damages / Shortage during transit, bidder will be responsible & the same must be replaced within maximum 7 working days or within the time allotted by the University.



8. **5%** Security of the ordered value will be deducted at the time of payment and the said amount will be released upon the satisfactory report of end user.
9. The supply will be checked by the Technical / Inspection Committee. However, the successful vendor / supplier will ensure / responsible to supply the goods / items according to complete specification mentioned in tender document / Supply order, otherwise the whole supply will be rejected.
10. In case the vendor fails to complete the job or provide substandard articles, or withdraw his offer for any reason, the EMD will be forfeited.
11. The material must be supplied in one lot. Part supplies will not be acceptable. However, if authorities issue instructions to provide supplies in parts, the instruction will be followed in letter & spirit.
12. No advance payment will be made in favor of tender awarded firm.
13. Item wise Lowest bid / offer will be accepted subject to the approval of the Competent Authority and the payment will be made according to policy of University / approval of competent authority.
14. Stamp Duty (Stamp Papers) @ 0.25% of total amount must be attached with the bill as per rules at the time of payment.
15. The supplies must be confirmed to the specification of supply order and free of defects in all respects. If the same is found defective, the same must be replaced immediately free of charge at the Islamia University of Bahawalpur.
16. The Store Section on report of end user shall notify the supplier in writing / through telephone immediately of any defect that occurs during the warranty period. On receipt of such intimation / notification within the warranty period, the supplier shall attend the breakdown call within a maximum of 06 working hours.
17. All the expenses for the above remedial measures including the repair / replacement if so required shall be borne by the supplier.
18. Wherever a brand has been specified, equivalent will be entertained subject to technical evaluation according to PPRA Rules.
19. The rates should be quoted after allowing rebates / discounts, if any but including transportation, delivery at site, commissioning, packing charges, forwarding and all taxes.
20. While quoting the rates of required / specified supplies, its make & model/brand should be written against each. The rates should be quoted only in Unit / Per Kg. / Per Litter / Pack/ Ream. Each according to the nature of the quotations / bids.
21. The supply shall be accepted subject to the condition of final and unchallengeable approval of the Purchase / Inspection Committee of the University.
22. The successful bidder /supplier will ensure/responsible to supply above items according to Specifications.
23. Any other term & condition specifically not mentioned in this tender document will be conveyed to the successful bidder at the time of issuance of Supply Order.
24. In case of any dispute / violation of any term & condition of the tender clause, the decision of the Vice- Chancellor of IUB will be considered final, which will not be challengeable in any court of law.

**ASSISTANT TREASURER (PROCUREMENT)**

The bid amount will be quoted by the vendor along with this certificate:

I / We have read all the above terms & conditions Document's instructions and submit bids / rates in conformity / compliance with the given instructions.

**Name of Firm:** \_\_\_\_\_

**Name of Bidder:** \_\_\_\_\_

**Signature:** \_\_\_\_\_

**Dated:** \_\_\_\_\_

**Please attach the following:**

- i) Copy of CNIC
- ii) Cop of original Tender Form Fee of HBL Challan / Demand Draft
- iii) Copy of CDR against each tender category. (Original must be attached with Financial Bid)
- iv) Copies of Income Tax, Sales Tax & Professional Tax
- v) Last six month bank statement attested by concerned bank.
- vi) Copy of current Sales Tax active / not black listed firm certificate issued by FBR.